



# UNIVERSITY OF PORT HARCOURT

## Journal of **Malaria Research and Phytomedicine**

### Table of Contents

<b>Editorial Board</b>	2
<b>General Information on Author Guidelines</b>	3
<b>Editorial</b>	6
<b>Original Articles</b>	
<b>Saliu O.A; Akanji M.A and *Idowu O.A</b> Enzyme Activities and Histopathological Studies of Selected Tissues in Albino Mice Treated with Methanolic Leaves Extract of <i>Luffa cylindrica</i> (An Antimalarial Herb)	7
<b>Jimoh AA, Maiha BB, Chindo BA, Ejiofor JI</b> Effects of Hydromethanolic Stem Extract of <i>Costus Afer</i> Ker Gawl. (costaceae) on Haematological and Biochemical Parameters in Rats	20
<b>Adebayo Anthony Gbolade</b> Nigerian Medicinal Plants with Anti-Snake Venom Activity- A Review	29
<b>Oche Prince. I. Ndukwu Geraldine U.</b> Diagnostic Evaluation of Rapid Diagnostic Testing in Malaria Diagnosis in A Primary Health Care Facility in South-South Nigeria.	45
<b>Profile of the Centre for Malaria Research and Phytomedicine</b>	54
<b>Centre Leadership</b>	55
<b><i>A Publication of Centre for Malaria Research &amp; Phytomedicine</i></b>	1

**JOURNAL OF MALARIA AND PHYTOMEDICINE**  
**(The official Journal of the Centre for Malaria Research and Phytomedicine)**

**EDITORIAL BOARD**

**Editorial Committee**

Dr. (Mrs) I N Chijioke-Nwauche  
Dr. H. Hamilton  
Dr. (Mrs) O. A. Shorinwa  
Mr. Chinedu Okonkwo  
Dr.(Mrs). I. Oboro  
Dr. (Mrs). G. Eke  
Dr. O.E.Afiero  
Mrs. O. G. Ndiokho  
Mr. OvundaWoko

The Editor  
Associate Editor  
Editorial Assistant  
Editorial Assistant  
Editorial Assistant  
Editorial Assistant  
Editorial Assistant  
Editorial Secretary  
System Analyst

**Editorial Advisers**

Prof. V. Idemyor  
Prof. W. Mbacham  
Prof. W. Oyibo  
Prof. O. Onwujekwe  
Prof. O.O. Ebong  
Prof. F. Nduka  
Pro. O. Orisakwe  
Prof. I.M Siminialayi  
Prof. C.A. Nwauche  
Prof. C. Sutherland

USA  
Cameroon  
Lagos  
Enugu  
Port Harcourt  
Port Harcourt  
Port Harcourt  
Port Harcourt  
Port Harcourt  
United Kingdom

## INSTRUCTION TO AUTHORS

**General Instructions:** Our journal considers all manuscripts on the premise that they are original empirical data that have not been published anywhere earlier, submitted only to JMP. They must not be under consideration for publication or in press elsewhere.

Types of Manuscripts accepted: JMP publishes Research Articles, Short Notes/Communications and Reviews.

**Research Articles:** New, significant, innovative and original findings are suitable as Research Articles (tables, figures and references). This type of paper should not exceed 25 pages of text (including references), font size 12 of Times New Roman and should not contain more than 8 figures/tables.

**Short Notes/Communications:** They should contain new, urgent and complete small investigations that would be of interest to readers of the Journal. An explanatory statement is required for urgent publication. Short communications should be 2 to 4 printed pages (about 6 to 12 manuscript pages) in length.

**Review papers:** These papers will not have empirical data acquired by the authors but will include discussion of papers published and data acquired in a specific area. We advise a length of 5000-6000 words, (including 50-130 references plus 3-5 figures and/or tables (if required)).

**Note:** Manuscripts should be double line-spaced in Microsoft Word, using Times New Roman font at 12 points.

### Preparing your manuscript

Ensure that the manuscripts fall within the scope of the journal before submission. All submissions must be written in good English. Manuscripts should be prepared in double-line spacing of not more than 25 pages.

The Manuscript Format is as Follows:

**Title:** At the top left hand, the title page should start with the journal name (Journal of Malaria and Phytomedicine) followed by type of manuscript (Research, Review Article, Short Communication and Note, etc). This should be followed by the title, name(s) of the author(s) and affiliations and mailing address, an asterisk (\*) should be added to the right of the corresponding author's name. When there are two or more authors and they belong to more than one affiliation, his or her affiliation should be indicated by superscripts 1, 2, 3 ... placed after each author's name and before each affiliation.

**Abstract:** The abstract should contain no more than 300 words including the sub-headings and keywords. It should be structured as follows: Introduction, Methodology, Results, Conclusion and Key Words. Key Words should be 3 – 6 words, separated by commas and presented in alphabetical order. Please avoid repeating words from title as key words. Please make sure names of genres are in italics whereas others are in normal font. For example; *et al.*, *in vivo*, *in vitro*, *Plasmodium falciparum*, etc. should be in italics.

**Introduction:** Keep the introduction short. The basic principles of research, background, earlier work, justification and the purpose of the present studies should be described in the introduction.

**Materials and Methods:** A clear description or specific original reference is required for all biological, analytical and statistical procedures. All modifications of procedures must be explained. Appropriate statistical methods should be used and stated clearly.

**Results:** The results should be presented in the form of tables or figures when applicable. Sufficient data,

all with evidence of statistical analysis, should be presented so that the reader can interpret the results of the experiment.

**Discussions and Conclusions:** The discussion should interpret the results clearly and not repeat the results already stated. It should be concise in terms of biological mechanisms and significance and also should integrate the research findings with the body of previously published literature to provide the reader with a broad base on which to accept or reject the hypotheses tested. Extensive discussion of relevant literature is within bounds. Explain how the results relate to previous findings, either in support, contradiction, or simply as added data. Highlight the significant/unique findings of the research under conclusion, and give some Recommendations.

Authors should prepare their manuscript in Microsoft Word and upload the manuscripts using the fewest file possible to facilitate the review and editing processes. Only one figure, table, or chart should appear on one page of an A4-sized paper (both portrait and landscape paper orientations can be used). Arabic numbers should be used for all compound numbers, figures and tables (e.g. Fig. 1 and Table 1). Put all figures and tables in ascending order. Label X-axis and Y-axis of figures. All figures legends should be clearly explained. Each column must have a heading (e.g., Item, Ingredient, Trait, Fatty acid).

#### **Disclosure of conflict of interest**

Authors should disclose all financial/relevant interest that may have influenced the study.

**Acknowledgement:** Acknowledgement section may be included if the author wants to acknowledge the funding agency or any other person (s) as deemed necessary.

In Summary: Research Papers and Short Notes should follow the structure of Abstract, Introduction, Methodology, Results and Discussion, Conclusion, Acknowledgements, Competing Interests, Authors' Contributions, Consent (where applicable), Ethical approval (where applicable), and References plus figures and/or tables).

**Submission:** Manuscripts should be submitted online as an email attachment to The Editor, Journal of Malaria and Phytomedicine (JMP) mail: [jmpsubmitpaper@uniport.edu.ng](mailto:jmpsubmitpaper@uniport.edu.ng) or [jmpsubmitpaper@gmail.com](mailto:jmpsubmitpaper@gmail.com). Postal submission will only be accepted in electronic format. After submission, a manuscript number will be communicated to the corresponding author within one week. For submission related problems or all other correspondence, please contact the editorial office [atjmpsubmitpaper@uniport.edu.ng](mailto:atjmpsubmitpaper@uniport.edu.ng) or [jmpsubmitpaper@gmail.com](mailto:jmpsubmitpaper@gmail.com).

**References:** The Vancouver style of referencing should be used throughout. In the text body of the manuscript, a number is assigned to each reference used. References should be numbered consecutively in the order in which they were first mentioned using the superscript<sup>3</sup> numbering and Arabic numerals. If you are citing more than one source at the same point, the numbering should be done this way 1-3 or 3, 4. Published articles and not abstracts should be cited whenever possible; if the work was originally described in an abstract, the author(s) should use a literature search to determine if the work has been published as a peer-reviewed article. The author's own unpublished work should be listed in the text as "(Unpublished data)". Personal communications and unpublished data must not be included in the references list. To be listed in the references list, papers must be published or accepted for publication (in press).

In the references list, references are listed in numerical order at the end of the write-up. Start with the author(s)' last name(s), followed by the title and the year of publication. As with text citations, 2 or more publications by the same author or set of authors in the same year shall be differentiated by adding lower-

case letters after the date. All authors' names must appear in the references list. Journals shall be abbreviated according to international standard format. Inclusive volumes, page numbers and editions must be provided.

Format of References List Journal Articles: Okoko II, Osinubi AA, Olabiyi OO, Kusemiju TO, Noronha CC and Okanlawon AO. Antiovulatory and antiimplantation potential of the methanolic extract of seeds of *Abrus precatorius* in the rat. *EndocrPract.* 2010; 16 (4):554-60.

**Books:** Clarke N. *Nutrient Requirements of Dairy Cattle*. 6th Rev. Edn. Natl. Acad. Press, Washington, D.C; 1989. pp: 90-110. A Chapter in a Book: Leach J. Impacts of *Dreissenapolyomorpha* on Water Quality and Fish Spawning Reefs of Western Lake Erie. In: *Zebra Mussels: Biology, Impacts and Control*. Nalepa, T. and D. Schloesser (Eds.). Ann Arbor, MI: Lewis Publishers, 1993. p: 381-397.

**A Report:** Makarewicz, J.C., T. Lewis and P. Bertram, 1995. Epilimnetic phytoplankton and zooplankton biomass and species composition in Lake Michigan, 1983-1992 U.S. EPA Great Lakes National Program, Chicago, IL. EPA 905-R-95-009. Conference/Proceedings: Muhammad, B.F. and R. Kwali, 2005. Prospects and constraints to small scale yoghurt production in Bauchi Metropolis. Proceeding of the 10th Annual Conference of the Animal Science Association of Nigeria. University of Ado-Ekiti, Sep. 12-15, pp: 234-236.

**Publication Charges:** To cover publication costs, Journal of Malaria and Phytomedicine charges a fee of ₦15, 000 for each accepted manuscript. International Submissions would be \$50. This includes peer-reviewing, editing, publishing, maintaining and archiving, and allows immediate access to the full text versions of the research articles. Additional fee is charged for publication of materials in colour. Journal of Malaria and Phytomedicine is fully committed to providing free access to all articles as soon as they are published.

All payments should be made payable to: Centre for Malaria Research and Phytomedicine Fidelity Bank Plc. Acc No: 5210030763. Other details are available on our website:  
<http://cmrap.uniport.edu.ng/journals/>

## EDITORIAL

### Safety of herbal medicines/remedies

In the Editorial of the last volume, we focused on Herbal medicines in the 21<sup>st</sup> century. The current write-up is on the safety of herbal remedies.

Herbal medicines have become very widespread and acceptable as alternative to regular medical practice globally and Nigeria is not exempted in this regard. In Germany, herbal medicinal products are first choice of treatment in about 70% of the population (Tuffs, 2002). The current global pandemic of Covid-19 has brought to light the tendency to deviate from orthodox medicine to herbal medicine as an alternative. There is a general presumption and belief that since herbal medicines are natural they are therefore considered safe. This is not scientifically correct because herbal medicines may have direct toxic effects.

In as much as the use of herbal medicine may be advocated in some situations, there is need for caution in its use especially where the active components are not known and there is no dosage standardization. Most herbal medicines on the shelves or in use in Nigeria have not been tested for a long term effect therefore the chronic effects on the body may not be known. Pharmacological toxicity testing usually starts with LD<sub>50</sub> which measures mainly acute toxicity tests. Post pharmacovigilance studies are needed for herbal medicines to ensure its safety and continuous use for combating diseases.

This fourth edition of JMP presents a study of the effects of Methanolic Leaves Extract of *Luffa cylindrica* (an antimalarial herb) on some tissues of Albino mice. With the obtained results, one can see the need for caution in the use of herbal medicines especially where there is no dosage standardization and therefore makes imperative the monitoring of the use of these herbs.

Another article of herbal medicine in this edition is the anti-snake venom activity of many Nigerian plants. Antidotes for snake bites are not readily available to the country and even when available are very expensive. The article presents many local herbs that have potential anti-snake venom properties. This will serve as a guide for further studies as possible alternatives to known orthodox antidotes for snake bites. The scarcity and cost of anti-snake venoms makes imperative further research on the subjects as alternative antidote to snake bites for our communities.

*Costus afer*, a commonly used medicinal plant throughout tropical Africa in the treatment of many chronic diseases is also presented here as an agent with hypolipidemic activity that may be useful in reducing the risk of cardiovascular diseases.

As the interest and use of herbal medicine increases in our environment, here is a call for active pharmacovigilance to ensure safety of the use of these remedies.

### The Editor

IfeyinwaChijioke-Nwauche. PhD

### References

Tuffs. A. Three out of four Germans have used complementary or natural remedies. British Medical Journal, 2002, 325:990.